

### SPAX® STAINLESS STEEL SCREWS

SPAX® Stainless Steel Screws offer the ultimate corrosion resistance and long term aesthetics in wood deck/railing and other exterior wood applications.

- Patented thread serrations require no pre-drilling and reduce drive torque to prolong the battery life of power tools.
- Unidrive head style offers excellent bit engagement and allows use of either a Phillips or Sq. Drive bit.

#### **SPAX® Stainless Steel Screws**

Unidrive\* Flat Head, Partial Thread

{rokbox title=|SPAX® Stainless Steel Screws :: Unidrive\* Flat Head, Partial Thread| thumbsize=|300 89|

<b>Size</b>	<b>Coating</b>	<b>Use</b>	<b>Drive Bit</b>
8 x 1-1/4"	Stainless	Exterior	#2 phil + #2 sq
8 x 1-1/2"	Stainless	Exterior	#2 phil + #2 sq
8 x 2"	Stainless	Exterior	#2 phil + #2 sq
8 x 2-1/2"	Stainless	Exterior	#2 phil + #2 sq
8 x 3"	Stainless	Exterior	#2 phil + #2 sq
10 x 2-1/2"	Stainless	Exterior	#2 phil + #2 sq
10 x 3"	Stainless	Exterior	#2 phil + #2 sq
10 x 3-1/2"	Stainless	Exterior	#2 phil + #2 sq

### SPAX® STAINLESS STEEL DECK SCREWS



SPAX Stainless Steel Screws offer the ultimate corrosion resistance and long term aesthetics in wood deck/railing and other exterior wood applications.

- Double ThreadLok™ design pulls and holds boards tight, preventing screws from backing out as lumber dries out.
- Patented thread serrations require no pre-drilling and reduce drive torque to prolong the battery life of power tools.
- Deep square drive offers excellent bit engagement to help prevent camming out.

#### **SPAX® Stainless Steel Deck Screws**

Unidrive\* Flat Head, Partial Thread

{rokbox title=|SPAX® Stainless Steel Screws :: Unidrive\* Flat Head, Partial Thread| thumbsize=|350 68|

## STAINLESS STEEL SCREWS

---

<b>Size</b>	<b>Coating</b>	<b>Use</b>	<b>Drive Bit</b>
7 x 1-5/8"	Stainless	Exterior	#2
10 x 2-1/2"	Stainless	Exterior	#2
10 x 3"	Stainless	Exterior	#2
10 x 3-1/2"	Stainless	Exterior	#2